INSTRUMENT APPROACH PROCEDURE CHARTS

IFR TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

Civil Airports and Selected Military Airports

ALL USERS: Airports that have Departure Procedures (DPs) designed specifically to assist pilots in avoiding obstacles during the climb to the minimum enroute altitude, and/or airports that have civil IFR take-off minimums other than standard, are listed below, Take-off Minimums and Departure Procedures apply to all runways unless otherwise specified. Altitudes, unless otherwise indicated, are minimum altitudes in MSL.

DPs specifically designed for obstacle avoidance are referred to as Obstacle Departure Procedures (ODPs) and are described below in text, or published separately as a graphic procedure. If the (Obstacle) DP is published as a graphic procedure, its name will be listed below, and it can be found in either this volume (civil), or a separate Departure Procedure volume (military), as appropriate. Users will recognize graphic obstacle DPs by the term "(OBSTACLE)" included in the procedure title; e.g., TETON TWO (OBSTACLE). If not assigned a SID or radar vector by ATC, an ODP may be flown without ATC clearance to ensure obstacle clearance.

Graphic DPs designed by ATC to standardize traffic flows, ensure aircraft separation and enhance capacity are referred to as "Standard Instrument Departures (SIDs)". SIDs also provide obstacle clearance and are published under the appropriate airport section. ATC clearance must be received prior to flying a SID.

CIVIL USERS NOTE: Title 14 Code of Federal Regulations Part 91 prescribes standard take-off rules and establishes take-off minimums for certain operators as follows: (1) Aircraft having two engines or less - one statute mile. (2) Aircraft having more than two engines - one-half statute mile. These standard minima apply in the absence of any different minima listed below.

MILITARY USERS NOTE: Civil (nonstandard) take-off minima are published below. For military takeoff minima, refer to appropriate service directives.

NAME

16 DEC 2010 to 13 JAN 2011

TAKE-OFF MINIMUMS

AINSWORTH, NE

AINSWORTH RGNL (ANW)

ORIG 08157 (FAA) NOTE: Rwy 31, fence 81' from departure end of runway, 374' right of centerline, 3' AGL/2589' MSL.

ALBION, NE

ALBION MUNI (BVN) AMDT 1 08269 (FAA)

> NOTE: Rwy 15, trees beginning 370' from departure end of runway, 72' left of centerline up to 98' AGL/1868' MSL. Fence and trees beginning 4' from departure end of runway, 114' right of centerline, up to 61' AGL/1831' MSL. Rwy 33, trees vehicles, terrain, and equipment beginning 93' from departure end of runway, 24' right of

centerline, up to 52' AGL/1871' MSL. Trees, building, and equipment 175' from departure end of runway, 12' left of centerline, up to 57' AGL/1863' MSL.

ATKINSON, NE

STUART-ATKINSON MUNI (8V2) ORIG 98225 (FAA)

TAKE-OFF MINIMUMS: Rwys 5, 23, NA.

NAME

TAKE-OFF MINIMUMS ATWOOD, KS

ATWOOD-RAWLINS COUNTY CITY - CO (ADT)

ORIG 10210 (FAA)

TAKE-OFF MINIMUMS: Rwvs 17.35.3.21. NA-Environmental. Rwy 16, 300-11/2 or std. w/min. climb of 285' per NM to 3300.

NOTE: Rwy 16, tower 1.2 NM from DER, 352' left of centerline, 255' AGL/3125' MSL. Rwy 34, multiple poles beginning 402' from DER, 437' left of centerline, up to 31'AGL/3030'MSL. Vehicle on road 585' from DER, right to left of centerline, up to 15' AGL/3025' MSL.

AUGUSTA, KS

AUGUSTA MUNI (3AU)

ORIG 10154 (FAA)

NOTE: Rwy 18, vehicles on road, 294' from DER, left to right of centerline, 15' AGL/1319' MSL. Trees beginning 386' from DER, 498' left of centerline, 100' AGL/1419' MSL. Rwy 36, vehicles on highway, 687' from DER, left to right of centerline, 17' AGL/1354' MSL.

AURORA, NE

AURORA MUNI - AL POTTER FIELD (AUH) ORIG 08269 (FAA)

NOTE: Rwy 16, trees beginning 74' from departure end of runway, 436' left of centerline, up to 70' AGL/1876' MSL. Vehicles on roadway beginning 396' from departure end of runway, left and right of centerline, up to 15' AGL/ 1814' MSL. Tree 614' from departure end of runway, 577' right of centerline, 50' AGL/1859' MSL. Rwy 34, fence 9' from departure end of runway, 470' left of centerline, 4' AGL/1806' MSL, Vehicles on roadway beginning 93' from departure end of runway, 511' left of centerline, up to 15' AGL/1824' MSL. Tree 135' from departure end of runway, 417' right of centerline, 12' AGL/1812' MSL. Wood power poles beginning 320' from departure end of runway, 289' left of centerline, up to 61' AGL/1863' MSL. Vehicles on roadway beginning 480' from departure end of runway, left and right of centerline, up to 15' AGL/ 1824' MSL. Trees beginning 722' from departure end of runway, 376' left of centerline, up to 46' AGL/1847' MSL. Chimney 770' from departure end of runway, 500' left of centerline, 24' AGL/1827' MSL. Antennas beginning 802' from departure end of runway, 479' left of centerline, up to 35' AGL/1835' MSL.

BASSETT, NE

ROCK COUNTY (RBE)

AMDT2 10098 (FAA)

TAKE-OFF MINIMUMS: Rwys 2, 20, NA-Environmental. NOTE: Rwy 13, fence and trees beginning 12' from DER, 298' left of centerline, up to 60' AGL/2449' MSL. Fence and trees beginning 16' from DER, 320' right of centerline, up to 60' AGL/2459' MSL. Rwy 31, rising terrain, trees, and train on railroad tracks beginning 2' from DER, 155' left of centerline, up to 60' AGL/2409' MSL. Sign, obstruction light on airport beacon and multiple vehicles, towers, trees, fences, and fuel farms beginning 31' from DER, 330' right of centerline, up to 58' AGL/2403' MSL. Train on railroad tracks, multiple buildings, vehicles and trees beginning 353' from DER, 322' right of centerline, up to 80' AGL/2416' MSL.

BEATRICE, NE

16 DEC 2010 to 13 JAN 2011

BEATRICE MUNI (BIE)

ORIG 08045 (FAA)

DEPARTURE PROCEDURE: **Rwy 17**, Climb heading 173° to 1900 before proceeding on course.

BELOIT, KS

MORITZ MEMORIAL (K61)

AMDT 1 94118 (FAA)

TAKE-OFF MINIMUMS: Rwys 4,8,22,26, NA.
DEPARTURE PROCEDURE: Rwys 17,35, climb to
2400 before turning east on course.

BENTON, KS

LLOYD STEARMAN FIELD (1K1)

ORIG 10210 (FAA)

NOTE: Rwy 35, vehicle on road beginning 20' from DER, left and right of centerline, up to 15' AGL/1384' MSL. Tree 2689' from DER, 1125' left of centerline, 100' AGL/1489' MSL.

BLAIR.NE

BLAIR MUNI (BTA)

ORIG 09183 (FAA)
DEPARTURE PROCEDURE: Rwy 13, climb on a

heading between 124° CCW to 314° from DER or minimum climb of 239' per NM to 3000 for all other courses

NOTE: Rwy 13, rising terrain beginning at DER, 183' right of centerline, up to 1319' MSL. Rwy 31, trees beginning 434' from DER, 1' right of centerline, up to 35' AGL/1364' MSL.

BROKEN BOW, NE

BROKEN BOW MUNI (BBW)

AMDT 2 90123 (FAA)

TAKE-OFF MINIMUMS: Rwy 14, 500-1. Rwy 32, 400-1.

CHANUTE, KS

CHANUTE MARTIN JOHNSON (CNU) ORIG 10154 (FAA)

DEPARTURE PROCEDURE: **Rwy 36**, climb heading 002° to 1500 before turning right.

NOTE: **Rwy 18**, trains on railroad beginning 210 'from DER, from left to right of centerline, up to 23' AGL/1022' MSL. Trees beginning 2437' from DER, from left to right of centerline, up to 100' AGL/1079' MSL. **Rwy 36**, vehicles on road beginning 316' from DER, from left to right of centerline, up to 15' AGL/994' MSL. Trees beginning 447' from DER, 522' left of centerline, up to 100' AGL/1079' MSL. Trees beginning 519' from DER, 619' right of centerline, up to 100' AGL/1079' MSL.

CLAY CENTER, KS

CLAY CENTER MUNI (CYW) ORIG 84033 (FAA)

TAKE-OFF MINIMUMS: Rwy 17, 300-1.

COFFEYVILLE, KS

COFFEYVILLE MUNI (CFV)

AMDT 1 10210 (FAA)

NOTE: Rwy 17, trees beginning 3041' from DER, left and right of centerline, up to 100' AGL/849' MSL. Rwy 35, trees beginning 2442' from DER, left and right of centerline, up to 100' AGL/859' MSL.

COLBY, KS

SHALZ FIELD (CBK) ORIG 08269 (FAA)

> TAKE-OFF MINIMUMS: Rwys 4, 12, 22, 30, N/A-Environmental

NOTE: **Rwy 17**, terrain beginning 7' from departure end of runway, 193' right of centerline, up to 3156' MSL. Trees beginning 3708' from departure end of runway, 1072' right of centerline, up to 100' AGL/3249' MSL. Vehicle and road beginning 550' from departure end of runway, 35' left to right of centerline, 15' AGL/3174' MSL.

Rwy 35, terrain beginning 205' from departure end of runway, 248' left of centerline, up to 3196' MSL.

TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES $\overline{\mathbf{V}}$

COLUMBUS.NE

COLUMBUS MUNI (OLU) AMDT 5 05244 (FAA)

TAKE-OFF MINIMUMS: **Rwy 2**, 300-1 or std. with a min. climb of 331' per NM to 1800.

NOTE: Rwy 2, tower 4681' from departure end of runway, 976' left of centerline, 141' AGL/1624' MSL. Pole 5533' from departure end of runway, 1626' left of centerline, 110' AGL/1632' MSL. Rwy 14, multiple trees and antenna beginning 2378' from departure end of runway, 934' left of centerline, up to 71' AGL/1508' MSL. Rwy 20, tower 3378' from departure end of runway, 1053' left of centerline, 131' AGL/1570' MSL. Rwy 32, multiple tree and towers beginning 2976' from departure end of runway, 284' right of centerline, 65' AGL/1525' MSL. Tower 3157' from departure end of runway, 254' left of centerline, 65' AGL/1525' MSL.

CONCORDIA, KS

BLOSSER MUNI (CNK)
AMDT 1 99084 (FAA)
TAKE-OFF MINIMUMS: Rwys 3,12,21,30, NA.

COZAD, NE

16 DEC 2010 to 13 JAN 2011

COZAD MUNI (CZD) AMDT 1 08157 (FAA)

TAKE-OFF MINIMUMS: Rwys 18,36, NA - Environmental.

NOTE: Rwy 13, grain elevators 3968' from departure end of runway, 103' right of centerline, 157' AGL/2678' MSL. Multiple poles beginning 13' from departure end of runway, 372' right of centerline, up to 43' AGL/2540' MSL. Multiple buildings beginning 97' from departure end of runway, 356' right of centerline, up to 18' AGL/ 2515' MSL. Fuel tank 22' from departure end of runway, 372' right of centerline, 13' AGL/2509' MSL. Antenna on grain elevator, 3672' from departure end of runway, 392' left of centerline, 189' AGL/2678' MSL. Multiple trees beginning 222' from departure end of runway, 24' left of centerline, up to 68' AGL/2562' MSL. Grain elevator 5482' from departure end of runway, 1120' from departure end of runway, 170' AGL/2660' MSL. Building light 5439' from departure end of runway, 1086' left of centerline, 167' AGL/2657' MSL. Multiple light poles beginning 290' from departure end of runway, 370' left of centerline, up to 57' AGL/2551' MSL. Multiple satellite dishes beginning 870' from departure end of runway, 432' left of centerline, up to 54' AGL/2549' MSL. Multiple buildings beginning 141' from departure end of runway, 88' left of centerline, up to 56' AGL/2550' MSL. Fence 1'from departure end of runway, 369' left of centerline, 4' AGL/2500' MSL. Diving board 575' from departure end of runway, 572' left of centerline, 13' AGL/ 2513' MSL. Rwy 31, multiple trees and buildings beginning 136' from departure end of runway, 450' right of centerline, up to 100' AGL/2604' MSL. Building 608' from departure end of runway, 547' left of centerline, up to 50' AGL/2554' MSL.

CRETE, NE

CRETE MUNI (CEK)

AMDT 1 08213 (FAA)

TAKE-OFF MINIMUMS: Rwys 13, 31, NA - Environmental.

NOTE: Rwy 17, numerous trees 193' from departure end of runway, 164' left of centerline, 42' AGL/1509' MSL. Numerous trees 18' from departure end of runway, 298' right of centerline, 20' AGL/1486' MSL. Rwy 35, numerous trees and building 201' from departure end of runway, 259' right of centerline, 62' AGL/1580' MSL. Buildings 72' from departure end of runway, 400' left of centerline, 20' AGL/1514' MSL.

DAVID CITY, NE

DAVID CITY MUNI (93Y)

AMDT 1 09351 (FAA)

TAKE-OFF MINIMUMS: Rwys1,19, NA-turf runway. NOTE: Rwy32, trees beginning at DER, 327' left of centerline, up to 29' AGL/1642' MSL. Trees beginning 1864' from DER, 99' left of centerline, up to 58' AGL/1671' MSL. Vehicle on highway 886' from DER, 711' left of centerline. 15' AGL/1636' MSL.

ELKHART, KS

ELKHART-MORTON COUNTY (EHA) AMDT 1 10154 (FAA)

DEPARTURE PROCEDURE: **Rwy 22**, climb heading 221° to 4100 before turning right.

NOTE: Rwy 4, tree 181' from DER, 425' left of centerline, 100' AGL/3689' MSL. Rwy 17, multiple mobiles beginning 576' from DER, 79' left of centerline, up to 18' AGL/3635' MSL. Vehicles on road beginning 503' from DER, 202' right of centerline, up to 15' AGL/3633' MSL. Vehicles on road beginning 508' from DER, 1' left of centerline, up to 15' AGL/3632' MSL. Post 8' from DER, 306' left of centerline, 3' AGL/3619' MSL. Rwy 22, vehicle on road 255' from DER, 485' left of centerline, 15' AGL/3633' MSL. Rwy 35, Post 5' from DER, 321' left of centerline, 6' AGL/3609' MSL. Tree 337' from DER, 463' left of centerline, 100' AGL/3709' MSL.

EMPORIA, KS

EMPORIA MUNI (EMP)

ORIG 07298 (FAA)

TAKE-OFF MINIMUMS: **Rwy 19**, 400-3 or std. with a min. climb 225' per NM to 1800'.

NOTE: Rwy 19, tree and bush 66' from departure end of runway, 283' left of centerline, up to 40' AGL/1226' MSL. Tower 2.4 NM from departure end of runway, 3901' right of centerline. 300' AGL/1565' MSL.

EUREKA.KS

EUREKA MUNI (13K)

ORIG 84327 (FAA)

TAKE-OFF MINIMÚMS: **Rwy 18**, 600-3 or std. with a min. climb 345' per NM to 2000.

1032

FAIRBURY, NE

FAIRBURY MUNI (FBY)

ORIG 08213 (FAA)

TAKE-OFF MINIMUMS: Rwys 11,29, NA-VFR/Turf Rwy.

NOTE: Rwy 17, multiple trees beginning 7' from departure end of runway, 463' right of centerline, up to 53' AGL/1507' MSL. Multiple poles beginning 587' from departure end of runway, 481' right of centerline, up to 38' AGL/1492' MSL. Light tower 573' from departure end of runway, 612' right of centerline, 46' AGL/1501' MSL. Satellite dish 531' from departure end of runway, 571' right of centerline, up to 38' AGL/1494' MSL. Rwy 35, multiple poles beginning 93' from departure end of runway, 319' left of centerline, up to 29' AGL/1508' MSL. Poles beginning 849' from departure end of runway, 415' right of centerline, up to 26' AGL/1503' MSL. Fence 79' from departure end of runway, 417' left of centerline, 4' AGL/1483' MSL.

FALLS CITY, NE

BRENNER FIELD (FNB)

AMDT 3 03247 (FAA)

TAKE-OFF MINIMUMS: **Rwy 32**, 300-1 or std. with a min. climb of 266' per NM to 1200.

DEPARTURE PROCEDURE: **Rwy 14**, climb via heading 144° to 1700 before turning right.

NOTE: Rwy14, pole 256' from departure end of runway, 463' right of centerline, 25' AGL/990' MSL. Catenary 294' from departure end of runway, 401' right of centerline, 24' AGL/989' MSL. Tree 2889' from departure end of runway, 582' right of centerline, 55' AGL/1053' MSL. Rwy32, tree 3360' from departure end of runway, 856' left of centerline, 100' AGL/1099' MSL.

FORT LEAVENWORTH, KS

SHERMAN AAF (FLV)

ORIG 05300 (FAA)

16 DEC 2010 to 13 JAN 2011

DEPARTURE PROCEDURE: Rwy 15, Climb via heading

155° to 1700 before turning southwest.

NOTE: Rwy 15, road 79' from departure end of runway, across departure course, up to 15' AGL/779' MSL. Building 400' from departure end of runway, 580' left of centerline, 28' AGL/788' MSL, pumphouse 444' from departure end of runway, 564' left of centerline, 23' AGL/783' MSL, boats 1063' from departure end of runway, across departure course, up to 45' AGL/800' MSL, trees 2165' from departure end of runway, across departure course, up to 75' AGL/838' MSL. Rwy 33, multiple trees and poles beginning 117' from departure end of runway on centerline, up to 100' AGL/879' MSL, levee 187' from departure end of runway on centerline, across departure end of runway on centerline, across departure end of runway, on centerline, 35' AGL/782' MSL.

FORT SCOTT, KS

FORT SCOTT MUNI (FSK) ORIG 07242 (FAA)

NOTE: Rwy 18, multiple trees beginning 673' from departure end of runway, 275' left of centerline, up to 43' AGL/962' MSL. Vehicle on road 621' from departure end of runway, 25' left of centerline, 15' AGL/935' MSL. Tree 654' from departure end of runway, 214' right of centerline, 28' AGL/94'7 MSL. Fence 193' from departure end of runway, 370' right of centerline, 8' AGL/926' MSL. Rwy 36, multiple trees beginning 137' from departure end of runway, 305' left of centerline, up to 43' AGL/952' MSL. Fence 204' from departure end of runway, 284' left of centerline, 8' AGL/911' MSL. Multiple trees beginning 359' from departure end of runway, 399' right of centerline, up to 44' AGL/933' MSL.

FREMONT, NE

FREMONT MUNI (FET) AMDT 5 08101 (FAA)

TAKE-OFF MINIMUMS: **Rwy 19**, 600-2½ with a min. climb of 370'per NM to 2000.

DEPARTURE PROCEDURE: **Rwy 19**, Climb heading 185° to 1800 before proceeding on course.

NOTE: Rwy 1, vehicle plus road beginning 213' from departure end of runway, 430' left and right of centerline, up to 15' AGL/1224' MSL. Tree 3771' from departure end of runway, 741' left of centerline, 100' AGL/1299' MSL. Tree 3349' from departure end of runway, 803' right of centerline, 100' AGL/1294' MSL. Rwy 14, tree 1248' from departure end of runway, 148' right of centerline, 100' AGL/1304' MSL. Vehicle plus road 513' from departure end of runway, 272' right of centerline, 15' AGL/1219' MSL. Rwy 19, vehicle plus road 531' from departure end of runway, 269' left of centerline, 15' AGL/1219' MSL. Tree 1222' from departure end of runway, 255' right of centerline, 100' AGL/1304' MSL. Rwy 32, multiple trees beginning 2053' from departure end of runway, 455' left of centerline, up to 84' AGL/1288' MSL. Multiple street lights beginning 1433' from departure end of runway. 465' right of centerline, up to 41' AGL/1246' MSL.

GARDENCITY.KS

GARDEN CITY RGNL (GCK)

ORIG 07186 (FAA)

NOTE: Rwy 12, multiple trees beginning 585' from DER, 431' left of centerline, up to 52' AGL/2926' MSL.

GARDNER.KS

GARDNER MUNI (K34)

ORIG-A 10098 (FAA)

TAKE-OFF MINIMUMS: **Rwy 8**, multiple power lines 192' from DER, 430' left of centerline, up to 38' AGL/ 1069' MSL.

NOTE: **Rwy 26**, multiple power lines 472' from DER, 502' right of centerline, up to 38' AGL/1072' MSL.



TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES $\overline{\mathbf{V}}$

GOODLAND, KS

RENNER FIELD/GOODLAND MUNI (GLD) AMDT 4 03303 (FAA)

TAKE-OFF MINIMUMS: Rwy 17, NA. DEPARTURE PROCEDURE: Rwy 23, climb via heading 234° to 4300 before turning south.

NOTE: Rwy 12, road 510' from departure end of runway, 544' left of centerline, 3665' MSL. Rwy 17, rod on dome 1738' from departure end of runway, 12' right of centerline 87' AGL/3746' MSL. Rod on OL AMOM 1252' from departure end of runway, 550' right of centerline, 37' AGL/3689' MSL. Tower 1700' from departure end of runway, 62' right of centerline, 49' AGL/3700' MSL. Pole 1293' from departure end of runway, 531' right of centerline, 49' AGL/3689' MSL. Rwy 23, road 683' from departure end of runway, 167' right of centerline, 3679' MSL. Terrain 62' from departure end of runway, 297' right of centerline, 3659' MSL. Tower 1218' from departure end of runway, 5347' left of centerline, 380' AGL/4080' MSL. Rwy 30, rail on silo 721' from departure end of runway, 567' left of centerline, 36' AGL/3675' MSL. Tree 153' from departure end of runway, 241' left of centerline, 16' AGL/3658' MSL. Tree 216' from departure end of runway, 391' left of centerline, 17' AGL/ 3659' MSL. Tree 1030' from departure end of runway, 460' left of centerline, 34' AGL/3676' MSL. Tree 1096' from departure end of runway, 641' right of centerline, 35' AGL/3674' MSL.

GORDON, NE

GORDON MUNI (GRN)

AMDT 2 90291 (FAA)

TAKE-OFF MINIMUMS: Rwy 29, 300-1.

DEPARTURE PROCEDURE: Rwys 22, 29, climb runway heading to 4400 before turning.

GOTHENBURG.NE

QUINN FIELD (GTE) AMDT 1 81106 (FAA)

TAKE-OFF MINIMUMS: Rwy 32, 300-1 or std. with a min. climb of 300' per NM to 2800.

GRANDISLAND, NE

CENTRAL NEBRASKA RGNL (GRI) ORIG 07354 (FAA)

NOTE: Rwy 13, tree 1334' from departure end of runway, 730' left of centerline, 39' AGL/1881' MSL.

GRANT, NE

GRANT MUNI (GGF) ORIG 08213 (FAA)

> NOTE: Rwy 15, post 7' from departure end of runway, 297' left of centerline, 4' AGL/3424' MSL. Post 5' from departure end of runway, 300' left of centerline, 5' AGL/ 3424' MSL. Road with vehicle 524' from departure end of runway, 525' left of centerline, 17' AGL/3442' MSL. Trees beginning 128' from departure end of runway, 304' left of centerline, up to 100' AGL/3442' MSL. Rwy 33, terrain 107' from departure end of runway, 352' left of centerline, 0' AGL/3426' MSL, Fence 226' from departure end of runway, 505' left of centerline, 8' AGL/ 3430' MSL. Terrain beginning 102' from departure end of runway, 199' right of centerline, up to 0' AGL/3429' MSL. Fence 3' from departure end of runway, 496' right of centerline, 4' AGL/3426' MSL.

GREATBEND, KS

GREAT BEND MUNI (GBD)

ORIG 08325 (FAA)

DEPARTURE PROCEDURE: Rwy 35, climb heading 352° to 3200 before turning eastbound.

NOTE: Rwy 35, tree 1312' from departure end of runway, 826' left of centerline, 62' AGL/1946' MSL.

HASTINGS, NE

HASTINGS MUNI (HSI)

AMDT 3 09071 (FAA)

DEPARTURE PROCEDURE: Rwy 4, climb heading 090° to 3000 before proceeding on course. Rwy 32, climb heading 323° to 2500 before turning right.

NOTE: Rwy 14, vehicle on road 202' from DER, 386' left of centerline, 15' AGL/1952' MSL. Tree 625' from DER, 498' right of centerline, 17' AGL/1961' MSL. Lightpole 620' from DER, 657' right of centerline, 35' AGL/1977' MSL. Multiple trees beginning 835' from DER, 558' left of centerline, up to 61' AGL/2010' MSL.

HAYS, KS

HAYS RGNL (HYS)

AMDT 2 92180 (FAA)

DEPARTURE PROCEDURE: Rwv 34, westbound departures (160° CW 340°) climb runway heading 3100 before proceeding on course.

HEBRON, NE

HEBRON MUNI (HJH)

ORIG 85115 (FAA)

TAKE-OFF MINIMUMS: Rwys 3,12,21,30,300-1. DEPARTURE PROCEDURE: All Rwys: climb straight ahead to 1700 before proceeding on course.

HILL CITY, KS

HILL CITY MUNI (HLC)

ORIG 06047 (FAA)

TAKE-OFF MINIMUMS: Rwy 17, 200-1 or std. with a min. climb of 380' to 2500.

DEPARTURE PROCEDURE: Rwv 35. climb via heading 352° to 3100 before turning left.

NOTE: Rwy 17, tower 3423' from departure end of runway, 1085' left of centerline, 145' AGL/2345' MSL. Tree 633' from departure end of runway, 449' right of centerline, 52' AGL/2221' MSL. Multiple trees beginning 694' from departure end of runway, 189' left of centerline, 40' AGL/2211' MSL. Multiple trees beginning 696' from departure end of runway 289' left of centerline, 40' AGL/2213' MSL. Multiple trees 790' from departure end of runway, 441' right of centerline, 48' AGL/2214' MSL. Tree 878' from departure end of runway, 122' left of centerline, 40' AGL/2210' MSL. Tree 899' from departure end of runway, 220' right of centerline, 54' AGL/2212' MSL. Multiple trees 893' from departure end of runway, 193' left of centerline, 70' AGL/ 2211'MSL. Tree 945' from departure end of runway, 229' right of centerline, 65' AGL/2213' MSL. Rwy 35, tree 1529' from departure end of runway, 94' left of centerline, 36' AGL/2279' MSL. Power pole 2433' from departure end of runway, 1046' right of centerline, 48' AGL/2308' MSL. Power pole 2447' from departure end of runway, 785' right of centerline, 41' AGL/2311' MSL.

10322

TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURES PROCEDUR

HOLDREGE.NE

BREWSTER FIELD (HDE)

AMDT 2 98113 (FAA)

TAKE-OFF MINIMUMS: Rwvs 11.29. NA. DEPARTURE PROCEDURE: Rwy 18, climb runway heading to 3800 before turning right. Rwy 36, climb runway heading to 3600 before turning left.

HUGOTON, KS

HUGOTON MUNI (HQG)

AMDT 1 07186 (FAA)

TAKE-OFF MINIMUMS: Rwy 31, NA-obstacles. DEPARTURE PROCEDURE: Rwy 2, climb heading 016° to 3800 before turning right.

NOTE: Rwy 2, multiple poles, hangars, and vehicle on road beginning 25' from departure end of runway, 334' left of centerline, up to 43' AGL/3167' MSL. Pole and fence beginning 19' from departure end of runway, 304' right of centerline, up to 33' AGL/3157' MSL. Rwy 20, vehicle on road 1' from departure end of runway, 371' right of centerline, 15' AGL/3153' MSL. Vehicle on road 203' from departure end of runway, 369' left of centerline, 15' AGL/3148' MSL.

HUTCHINSON, KS

HUTCHINSON MUNI (HUT) AMDT 4 92233 (FAA)

TAKE-OFF MINIMUMS: Rwys 4,22, 300-1 or std. with a min. climb of 370' per NM to 1700.

DEPARTURE PROCEDURE: All Rwys, eastbound departures (030° CW 130°) climb runway heading to 3300 before turning.

IMPERIAL. NE

IMPERIAL MUNI (IML) AMDT 2 96228 (FAA)

TAKE-OFF MINIMUMS: Rwy 21, 300-1 or std. with a min. climb of 260' per NM to 3700.

INDEPENDENCE.KS

INDEPENDENCE MUNI (IDP)

ORIG 08325 (FAA)

NOTE: Rwy 4, trees beginning 2911' from departure end of runway, 1236' left of centerline, up to 100' AGL/929' MSL, Tree 1878' from departure end of runway, 236' right of centerline, 52' AGL/871' MSL. Rwy 17, trees beginning 1402' from departure end of runway, 696' left of centerline, up to 31' AGL/860' MSL. Rwy 35, obstruction light on DME 1002' from departure end of runway, 256' right of centerline, 20' AGL/849' MSL. Trees beginning 2515' from departure end of runway, 994' right of centerline, up to 100' AGL/929' MSL.

IOLA, KS

ALLEN COUNTY (K88)

ORIG 09071 (FAA)

NOTE: Rwy 1, trees 1280' from DER, 485' right of centerline, 100' AGL/1109' MSL. Rwy 19, vehicle on road 28' from DER, 501' right of centerline, 15' AGL/ 1024' MSL. Terrain beginning 69' from DER, 229' right of centerline, up to 1014' MSL. Trees 2240' from DER, 1068' right of centerline, 100' AGL/1109' MSL. Trees 2381'from DER, 621'left of centerline, 100'AGL/1089' MSI

JOHNSON, KS

STANTON COUNTY MUNI (2K3)

ORIG 10322 (FAA)

NOTE: Rwy 17, hangar 517' from DER, 539' right of centerline, 18' AGL/3342' MSL. Rwy 26, hangar 373' from DER, 315' left of centerline, 18' AGL/3342' MSL. Vehicle on road beginning 529' from DER, on centerline, 15' AGL/3339' MSL. Trees beginning 704' from DER, 66' left of centerline, up to 40' AGL/3364'

JUNCTION CITY, KS

FREEMAN FIELD (3JC)

AMDT 2 10042 (FAA)

TAKE-OFF MINIMUMS: Rwys 5, 23, NA-Environmental. Rwy 18, 500-234 or std. with a min. climb of 420' per NM to 1700. Rwy 36, 300-2 or std. w/min climb of 234' per NM to 1500.

DEPARTURE PROCEDURE: Rwy 18, climb heading 189° to 2200 before turning right. Rwy 36, climb heading 009° to 2000 before proceeding on course.

NOTE: Rwy 18, numerous towers and poles beginning 909' from DER, 389' left of centerline, up to 135' AGL/ 1432' MSL, Tank 1.1 NM from DER, 1895' left of centerline, 148' AGL/1410' MSL, Antenna 1.9 NM from DER, 478' left of centerline, 75' AGL/1426' MSL Numerous towers and trees beginning 28' from DER. 437' right of centerline, up to 320' AGL/1540' MSL. Rwy 36, tree 540' from DER, 6' left of centerline, 100' AGL/ 1164' MSL, Trees beginning 2531' from DER, 397' right of centerline, up to 100' AGL/1164' MSL. Building 54' from DER, 435' left of centerline, 30' AGL/1165' MSL.

KEARNEY.NE

KEARNEY RGNL (EAR)

ORIG 03023 (FAA)

TAKE-OFF MINIMUMS: Rwy 13, cross departure end of runway at or above 20' AGL/2149' MSL.

NOTE: Rwy 13, trees 1600' from departure end of runway, 745' right of centerline, 80' AGL/2189' MSL.

KIMBALL, NE

KIMBALL MUNI/ROBERT E. ARRAJ FIELD (IBM)

ORIG 07018 (FAA)

NOTE: Rwy 10, fence 218' from departure end of runway, 273' right of centerline, 4' AGL/4905' MSL. Wind cone 256' from departure end of runway, 222' left of centerline, 14' AGL/4914' MSL. Multiple stop signs beginning 830' from departure end of runway, 555' left of centerline, up to 17' AGL/4926' MSL. Rwy 28, terrain beginning 75' from departure end of runway, 262' right of centerline, up to 4939' MSL. Terrain beginning 141' from departure end of runway, 435' left of centerline, up to 4932' MSL.

10322



TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURES PROCEDURE

10322

LAWRENCE, KS

LAWRENCE MUNI (LWC) AMDT 4 03247 (FAA)

TAKE-OFF MINIMUMS: **Rwy 1**, 400-1½ or std. with a min. climb of 387' per NM to 1300. **Rwy 33**, 300-1 or std. with a min. climb of 327' per NM to 1100.

DEPARTURE PROCEDURE: **Rwy 15**, south and west departures (140° CW 360°), climb via heading 130° to 2400 before turning right on course. **Rwy 19**, climb via heading 180° to 2400 before turning on course.

NOTE: Rwy 1, bush 297' from departure end of runway, 192' right of centerline, 9' AGL/842' MSL, tree 2864' from departure end of runway, 759' right of centerline, 90' AGL/969' MSL, tree 4151' from departure end of runway, 1466' left of centerline, 79' AGL/958' MSL, tree 7024' from departure end of runway, 2180' right of centerline, 45' AGL/1104' MSL, tree 7285' from departure end of runway, 1781' right of centerline, 100' AGL/1179' MSL, tree 7406' from departure end of runway, 349' right of centerline, 49' AGL/1088' MSL, tree 7980' from departure end of runway, 2613' right of centerline, 46' AGL/1105' MSL, tree 10,211' from departure end of runway, 2539' left of centerline, 49' AGL/1108' MSL, tree 11,544' from departure end of runway, 1866' left of centerline, 70'AGL/ 1129'MSL, Rwv 15, tree 543' from departure end of runway,561'left of centerline, 28' AGL/857' MSL, tree 1361' from departure end of runway, 714' right of centerline, 50' AGL/879' MSL, Rwv 19, tree 1797' from departure end of runway, 558' right of centerline, 79' AGL/918' MSL, tree 1896' from departure end of runway,

centerline, 71'AGL/910' MSL. **Rwy 33**, tree 1323' from departure end of runway, 623' right of centerline, 59' AGL/898' MSL, tree 1622' from departure end of runway, 353' right of centerline, 48' AGL/887' MSL, tree 1768' from departure end of runway, 201' right of centerline, 49' AGL/888' MSL, tree 1945' from departure end of runway, 17' left of centerline, 66' AGL/905' MSL, tree 4357' from departure end of runway, 1563' right of centerline, 100' AGL/1009' MSL.

LEXINGTON, NE

16 DEC 2010 to 13 JAN 2011

JIM KELLY FIELD (LXN) AMDT 2 07130 (FAA)

TAKE-OFF MINIMUMS: **Rwy 19**, std. w/min. climb of 291' per NM to 4000 or 1200-3 for climb in visual conditions

DEPARTURE PROCEDURE: Rwy14, climb heading 136° to 3500' before turning right. Rwy19, for climb in visual conditions: cross Jim Kelly Field Airport at or above 3500 MSL before proceeding on course.

NOTE: Rwy 1, terrain 56' from departure end of runway, 470' left of centerline, 2409' MSL. Rwy 14, multiple trees beginning 865' from departure end of runway, 242' left of centerline, up to 59' AGL/2459' MSL. Multiple trees and railroad signals beginning 896' from departure end of runway, 406' right of centerline, up to 55' AGL/2457' MSL. Rwy 32, fence 97' from departure end of runway, 497' right of centerline, 3' AGL/2418' MSL. Fence 72' from departure end of runway, 498' left of centerline, 10' AGL/2415' MSL.

LIBERAL, KS

LIBERAL MID-AMERICA RGNL (LBL) AMDT 5 07242 (FAA)

NOTE: Rwy 4, obstruction light on lighted WSK 390' from departure end of runway, 350' left of centerline, 21' AGL/2896' MSL. Tree 1299' from departure end of runway, 785' right of centerline, 44' AGL/2924' MSL. Rwy 35, multiple trees beginning 1090' from departure end frunway, 317' right of centerline, up to 39' AGL/2920' MSL.

LINCOLN, NE

LINCOLN (LNK)

ORIG-A 10182 (FAA)

NOTE: Rwy 14, windsock 262' from DER, 369' left of centerline, 7' AGL/1187' MSL.

Rwy 17, light poles beginning 520' from DER, 505' right of centerline, up to 36' AGL/1198' MSL. Rwy 18, rod on obstruction light tower 3858' from DER, 687' left of centerline, 80' AGL/1280' MSL. Rwy 35, warehouse 4463' from DER, 1350' left of centerline, 50' AGL/1369' MSL.

MANHATTAN, KS

MANHATTAN RGNL (MHK)

AMDT 7 10266 (FAA)

TAKE-OFF MINIMUMS: Rwy 3, 400-2½ or std. w/ min. climb of 360' per NM to 1600. Rwy 13, 300-1½ or std. w/ min. climb of 219' per NM to 1300. Rwy 31, 400-2½ or std. w/ min. climb of 277' per NM to 1500.

DEPARTURE PROCEDURE: All runways,

westbound departures heading 210° through 360° NA. Rwy 3, climb heading 034° to 1700 before turning right. Rwy 31, departure NA when R-3602B active. NOTE: R-3602B restricted area immediately west of airport.

NOTE: Rwy 3, numerous trees beginning 20' from DER, right and left of centerline, up to 100' AGL/1395' MSL. Rwy 13, numerous trees beginning 1304' from DER, right and left of centerline, up to 100' AGL/1229' MSL. Light pole, flood light, building, and elevator beginning 33' from DER, 439' left of centerline, up to 50' AGL/ 1086' MSL. Railroad 905' from DER, 614' right of centerline, 23' AGL/1068' MSL. Rwy 21, numerous trees beginning 2350' from DER, right and left of centerline, up to 100' AGL/1169' MSL. Pole 4928' from DER, 1006' right of centerline, 41' AGL/1189' MSL. Pole 3593' from DER, 462' right of centerline, 41' AGL/ 1189' MSL. Pole 3993' from DER, 461' right of centerline, 41' AGL/1158' MSL. Rwy 31, numerous trees beginning 164' from DER, right and left of centerline, up to 100' AGL/1358' MSL. Utility pole 1290' from DER, 435' right of centerline, 25' AGL/1124' MSL.

MARSHALL AAF (KFRI)

* Or standard with minimum climb of 273/NM to 1500

DEPARTURE PROCEDURE: Rwy 22: Climb on heading 224° to 2200 before proceeding on course. TAKE-OFF OBSTACLES: Rwy 4: Ridgeline 1212' MSL, 2721' from DER, 1104' right of centerline. Ridgeline 1198' MSL, 4791' from DER, 151' right of centerline.

Rwy 22: Antenna 1371' MSL, 8919' from DER, 1292' left of centerline. Antenna 1432' MSL, 14,495' from DER, 2287' left of centerline.



MARYSVILLE, KS

MARYSVILLE MUNI (MYZ)

TAKE-OFF MINIMUMS: Rwv 15, 300-1 or std. with a min. climb 402' per NM to 1600. Rwy 33, 500-11/2 or std. with a min. climb of 496' per NM to 1900.

DEPARTURE PROCEDURE: Rwys 2, 20, climb runway heading to 1900 before turning.

MC CONNELL AFB (KIAB)

WICHITA, KS 09043

TAKE-OFF OBSTACLES: Rwy 1L, KC135 tail 42' AGL/ 1409' MSL, 24' from DER, 363' left of centerline. Rwy 1R. KC135 tail 42' AGL/1406' MSL, 1048' from DER. 678' right of centerline. KC135 tail 42' AGL/1406' MSL, 139' from DER, 578' right of centerline. KC135 tail 42' AGL/1406' MSL, 325' from DER, 577' right of centerline, KC135tail 42' AGL/1406' MSL, 514' from DER, 577' right of centerline. KC135 tail 42' AGL/1406' MSL, 729' from DER, 678' right of centerline. KC135 tail 42' AGL/1406' MSL, 889' from DER, 678' right of centerline. KC135 tail 42' AGL/1400' MSL, 43' from DER, 306' right of centerline.

MC COOK, NE

MC COOK BEN NELSON RGNL (MCK) ORIG 09351(FAA)

TAKE-OFF MINIMUMS: Rwys 17, 35, NA-Environmental.

NOTE: Rwy 4, tree 275' from departure end of runway, 233' left of centerline, 27' AGL/2566' MSL. Rwy 12, multiple trees beginning 71' from departure end of runway, 147' right of centerline, up to 40' AGL/2559' MSL. Tree 240' from departure end of runway, 142' left of centerline, 40' AGL/2549' MSL. Rwy 22, pole 843' from departure end of runway, 95' right of centerline, 28' AGL/2587' MSL.

MC PHERSON, KS

16 DEC 2010 to 13 JAN 2011

MC PHERSON (MPR)

AMDT 2 07298 (FAA)

TAKE-OFF MINIMUMS: Rwy 8, 26, NA-Environmental. NOTE: Rwy 18, trees beginning 2646' from departure end of runway, 1047' left to 1047' right of centerline, up to 100' AGL/1594' MSL. Rwy 36, bush 32' from departure end of runway, 262' right of centerline, 8' AGL/ 1495' MSL. Trees beginning 2646' from departure end of runway, 1047' left to 1047' right of centerline, up to 100'AGL/1594'MSL.

MINDEN. NE

PIONEER VILLAGE FIELD (0V3) AMDT 2 10266 (FAA)

TAKE-OFF MINIMUMS: Rwvs 5, 23, NA-Turf. DEPARTURE PROCEDURE: Rwy 34, climb heading 339° to 3000 before turning right.

NOTE: Rwv 16, trees, guard posts, and street lights beginning 32' from DER, 156' right of centerline, up to 75' AGL/2223' MSL. Trees beginning 193' from DER, 167' left of centerline, up to 67' AGL/2204' MSL Buildings beginning 1656' from DER, 156' right of centerline, up to 70' AGL/2225' MSL. Power poles beginning 528' from DER, 393' right of centerline, up to 37' AGL/2191' MSL. Rwy 34, trees beginning 192' from DER, 156' left of centerline, up to 100' AGL/2269' MSL.

NEBRASKA CITY, NE

NEBRASKA CITY MUNI (AFK)

ORIG 08157 (FAA)

TAKE-OFF MINIMUMS: Rwys 5, 23, NA-Environmental.

NELIGH.NE

ANTELOPE COUNTY (4V9) ORIG 09351 (FAA)

TAKE-OFF MINIMUMS: Rwy 1, 400-13/4 or std. w/min. climb of 315' per NM to 2200.

DEPARTURE PROCEDURE: Rwy 19, climb heading 188° to 2500 before proceeding on course.

NOTE: Rwy 1, multiple trees beginning 283' from DER, 7' right of centerline, up to 89' AGL/1810' MSL. Multiple towers beginning 1.2 NM from DER, 194' left of centerline, up to 135' AGL/2071' MSL, Multiple antennas beginning 1.4 NM from DER, 434' left of centerline, up to 71' AGL/2022' MSL. Multiple structures beginning 1720' from DER, 2' left of centerline, up to 59' AGL/1780' MSL. Building 1.4 NM from DER, 477' left of centerline, 42' AGL/1991' MSL. Rwy 13, tree 30' from DER, 468' left of centerline, 60' AGL/1756' MSL.

Rwy 19, fence beginning 80' from DER, 450' right of centerline, up to 4' AGL/1785' MSL. Ground 76' from DER, 334' right of centerline, 1783' MSL. Ground 180' from DER, 342' right of centerline, 1783' MSL. Rwy 31, multiple trees beginning 586' from DER, 603' left of centerline, up to 60' AGL/1819' MSL. Vehicles on road beginning 168' from DER, 523' left of centerline, up to 17'AGL/1766'MSL.

NORFOLK, NE

NORFOLK RGNL/KARL STEFAN MEMORIAL FLD (OFK)

ORIG 09351 (FAA)

NOTE: Rwy 1, terrain with trees beginning 50' from DER, left and right of centerline, up to 100' AGL/1615' MSL. Rwy 14, terrain with trees beginning 55' from DER, left and right of centerline, up to 75' AGL/1640' MSL, Vehicle on road 555' from DER, 619' left of centerline, 15' AGL/1586' MSL. Satellite dish 825' from DER, 359' left of centerline, 37' AGL/1599' MSL. Electrical equipment 22' from DER, 499' left of centerline, 5' AGL/1565' MSL. Rwy 19, terrain beginning 116' from DER, 486' left of centerline, up to 1576' MSL. Fence 905' from DER, 666' left of centerline, 6' AGL/1596' MSL. Trees beginning 3024' from DER, 486' left and right of centerline, up to 100' AGL/1698' MSL. Rwy 32, terrain 180' from DER, 162' left of centerline, 1549' MSL. Tree 778' from DER, 672' left of centerline, 100' AGL/1649' MSL. Railroad tracks 959' from DER, 363' left of centerline, 23' AGL/1568' MSL. Tree 2475' from DER, 60' left of centerline, 81' AGL/1611'MSL

NORTH PLATTE, NE

NORTH PLATTE RGNL AIRPORT LEE BIRD FIELD (LBF)

AMDT 4 90263 (FAA)

DEPARTURE PROCEDURE: Rwy 30, climb runway heading to 4000 before turning right. Rwy 35, climb runway heading to 4000 before turning left.

10322



TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURES PROCEDURE

NORTON, KS

NORTON MUNI (NRN)

AMDT 1 08045 (FAA)

TAKE-OFF MINIMUMS: Rwvs 8, 26, NA-Environmental, Rwy16,400-3.

NOTES: Rwy 16, Tower 2241' from departure end of runway, 642' left of centerline, 198' AGL/2528' MSL. Tower 2.42 NM from departure end of runway, 3467' right of centerline, 358' AGL/2758' MSL. Rwy 34, Tree 630' from departure end of runway, 203 left of centerline, 100' AGL/2489' MSL.

O'NEILL, NE

THE O'NEILL MUNI-JOHN L. BAKER FIELD (ONL)

ORIG 88266 (FAA)

DEPARTURE PROCEDURE: Rwys 4, 13, 22, climb runway heading to 2600 before turning.

OAKLEY, KS

OAKLEY MUNI (OEL) ORIG 06215 (FAA)

> NOTE: Rwy 16, bush 145' from departure end of runway, 496' left of centerline, 14' AGL/3034' MSL. Road 208' from departure end of runway, 368' right of centerline, 15' AGL/3031'MSL. Rwy 34, tree 855' from departure end of runway, 416' right of centerline, 50' AGL/3099' MSL.

OBERLIN, KS

16 DEC 2010 to 13 JAN 2011

OBERLIN MUNI (OIN) ORIG 84187 (FAA)

TAKE-OFF MINIMUMS: Rwy 12, 300-2.

OFFUTT AFB (KOFF),

OMAHA, NE ORIG, 10126 TAKE-OFF OBSTACLES: Rwy 12, Fence Post, 3' AGL/ 974' MSL, 153' from DER, on centerline. Antenna, 7 AGL/968' MSL, 276' from DER, on centerline, Vehicle, 15' AGL/983' MSL, 170' from DER, 158' left of centerline. Road, 15' AGL/985' MSL, 191' from DER, 1' left of centerline. Railroad, up to 23' AGL/995' MSL, beginning 386' from DER, 55' left of centerline. Multiple trees, up to 110' AGL/1,076' MSL, beginning 3,185' from DER, 68' left of centerline. Terrain, 974' MSL, 0' from DER, 353' right of centerline. Multiple trees, up to 110' AGL/1,088' MSL, beginning 1,150' from DER, 5' right of centerline. Rwy 30, Antenna, 7' AGL/1,053' MSL, 201' from DER, on centerline. Multiple trees, up to 110' AGL/1,090' MSL, beginning 296' from DER, 6' left of centerline. Multiple trees, up to 110' AGL/1,098' MSL, beginning 1,267' from

OGALLALA, NE

SEARLE FIELD (OGA) AMDT 3 90123 (FAA)

DER, 552 right ofcenterline.

TAKE-OFF MINIMUMS: Rwy 31, 800-3. DEPARTURE PROCEDURE: Rwy 8, climb runway

heading to 4000 before turning left.

OLATHE, KS

JOHNSON COUNTY EXECUTIVE (OJC) ORIG 05300 (FAA)

NOTE: Rwy 18, multiple trees 622' from departure end of runway, 192' right of centerline, up to 73' AGL/1084' MSL. Rwy 36, antenna 335' from departure end of runway, 263' left of centerline, 20' AGL/1110' MSL, tree 1008' from departure end of runway, 612' right of centerline, 57' AGL/ 1130' MSL, tree 1544' from departure end of runway, 810' left of centerline, 71' AGL/1144' MSL.

NEW CENTURY AIRCENTER (IXD) ORIG 05300 (FAA)

NOTE: Rwy 4, fence 204' from departure end of runway, 256' right of centerline, 10' AGL/1096' MSL, obstruction light 296' from departure end of runway, 163' right of centerline, 19' AGL/1098' MSL, obstruction light 492' from departure end of runway, 43' left of centerline, 16' AGL/1095' MSL, tree 1529' from departure end of runway. 125' left of centerline, 60' AGL/1149' MSL, tree 1824' from departure end of runway, 665' right of centerline, 59' AGL/1171'MSL, Rwv 18, tree 1899' from departure end of runway, 8' left of centerline, 64' AGL/1103' MSL, tree 2051' from departure end of runway, 662' right of centerline, 50' AGL/1108' MSL. Rwy 36, ground beginning 16' from departure end of runway, from 407' right to 487' left of centerline, 1088' MSL.

OMAHA, NE

EPPLEY AIRFIELD (OMA) AMDT 5 08045 (FAA)

DEPARTURE PROCEDURE: Rwys 14L, 14R, Climb heading 139° to 2600 before proceeding on course. Rwy 18, Climb heading 175° to 2600 before turning right. Rwys 32L, 32R, Climb heading 319° to 2600 before proceeding westbound. Rwy 36, Climb heading 355° to 2600 before turning left.

NOTES: Rwy 14L, Trees beginning 3956' from departure end of runway, 115' left of centerline, up to 107' AGL/1322' MSL. Rwy 14R, Tree 3972' from departure end of runway, 1316' left of centerline, 108' AGL/1088' MSL. Rwy 18, Tower, pole, and tree beginning 3953' from departure end of runway, 852' left of centerline up to 136'

AGL/1114' MSL. Rwy 32L, Pole and tree beginning 969' from departure end of runway, 748' right of centerline, up to 70' AGL/1054' MSL. Rwy 32R, Trees beginning 2217' from departure end of runway, 767' right of centerline, up to 106' AGL/1089' MSL. Rwy 36, Poles and tree beginning 940' from departure end of runway, 674' left and right of centerline, up to 83' AGL/1064' MSL.

OMAHA, NE (CON'T)

MILLARD (MLE)

AMDT 3 07074 (FAA)

TAKE-OFF MINIMUMS: Rwv 30. 300-11/4 or std. w/min. climb of 370' per NM to 3000.

DEPARTURE PROCEDURE: Rwy 12, climb via heading 123° to 3200 before proceeding on course. Rwy 30, climb via heading 303° to 3000 before proceeding on course.

NOTE: Rwy 12, multiple trees, power poles and highway signs beginning 250' from departure end of runway, 152' left of centerline, up to 35' AGL/1101' MSL. Multiple trees and fences beginning 3' from departure end of runway, 381' right of centerline, up to 63' AGL/1104' MSL. Multiple street lights beginning 1506' from departure end of runway, 678' left of centerline to 568' right of centerline, up to 46' AGL/1115'MSL. Rwy 30, multiple towers, trees, power poles, buildings, street lights, fences, and road beginning 13' from departure end of runway, 264' left of centerline, up to 100' AGL/1270' MSL. Multiple trees and power poles beginning 516' from departure end of runway, 343' right of centerline, up to 88' AGL/1137' MSL.

ORD, NE

EVELYN SHARP FIELD (ODX)

AMDT 3 09127 (FAA)

TAKE-OFF MINIMUMS: Rwys 17,35, NA-Environmental. DEPARTURE PROCEDURE: Rwy 13, climb heading 131° to 3000 before turning right.

NOTE: Rwy 13, pole 860' from DER, 498' left of centerline, 39' AGL/2098' MSL. Trees beginning 705' from DER, 505' left of centerline, up to 37' AGL/2096' MSL. Trees beginning 43' from DER, 443' right of centerline, up to 45' AGL/2104' MSL. Rwy 31, trees beginning 2590' from DER, 276' left of centerline, up to 84' AGL/2183' MSL. Poles beginning 1234' from DER, 1' left of centerline, up to 60' AGL/2130' MSL. Tank 2615' from DER, 256' left of centerline, 69' AGL/2139' MSL. Fence 199' from DER, 241' left of centerline, 5' AGL/2075' MSL. Tree 55' from DER, 348' right of centerline, 2' AGL/2072' MSL,

OSHKOSH, NE

GARDEN COUNTY (OKS) ORIG 05020 (FAA)

DEPARTURE PROCEDURE: Rwy12, climb via heading 125° to 4000 before turning right.

OTTAWA, KS

OTTAWA MUNI (OWI) ORIG 97254 (FAA)

TAKE-OFF MINIMUMS: Rwys 5,13,23,31, NA

PARSONS, KS

TRI-CITY (PPF)

ORIG 08269 (FAA)

NOTE: Rwy 17, trees beginning 23' from departure end of runway, 253' right of centerline, up to 66' AGL/917' MSL. Trees and power poles beginning 8' from departure end of runway, 243' left of centerline, up to 56' AGL/916' MSL. Rwy 35, trees beginning 12' from departure end of runway, 138' right of centerline, up to 40' AGL/956' MSL. Vehicle on road 720' from departure end of runway, 7' left and right of centerline, 17' AGL/941' MSL. Trees beginning 728' from departure end of runway, 66' left of centerline, up to 20' AGL/

PHILLIPSBURG, KS

PHILLIPSBURG MUNI (PHG)

ORIG 07018 (FAA)

TAKE-OFF MINIMUMS: Rwys 3,21, NA (Turfrunway) NOTE: Rwy 31, trees 5843' from departure end of runway, 1981' left of centerline, 100' AGL/2059' MSL.

PITTSBURG, KS

ATKINSON MUNI (PTS)

ORIG 01193 (FAA)

NOTE: Rwy 10, 972 MSL pole, 335' from departure end of runway, 477' right of centerline. Rwy 16, 989' MSL tree, 1016' from departure end of runway, 542' left of centerline.

RUSHVILLE. NE

MODISETT (9V5)

ORIG 09239 (FAA)

NOTE: Rwy 14, trees 21' from DER, 210' right of centerline, up to 47' AGL/3792' MSL. Multiple trees beginning 251' from DER, 302' left of centerline, up to 50' AGL/3805' MSL. Multiple power poles beginning 427' from DER, 31' left of centerline, up to 47' AGL/3834' MSL. Multiple power poles beginning 1179' from DER, 235' right of centerline, up to 67' AGL/3816' MSL. Multiple buildings beginning 415' from DER, 409' left of centerline, up to 25' AGL/3778' MSL, Fence, 203' from DER, 318' left of centerline, 4' AGL/3757' MSL. Rwy 32, terrain 964' from DER, 355' left of centerline, 0' AGL/ 3778' MSL. Fence, 51' from DER, 282' left of centerline, 4'AGL/3751'MSL.

RUSSELL, KS

RUSSELL MUNI (RSL)

AMDT 1 07298 (FAA)

DEPARTURE PROCEDURE: Rwy 17, climb via heading 167° to 3400 before turning east.

NOTE: Rwy 17, post 167' from departure end of runway, 324' left of centerline, 6' AGL/1868' MSL. Rwy 35, multiple poles beginning 417' from departure end of runway, 142' right of centerline, up to 30' AGL/1890' MSL

SALINA, KS

SALINA MUNI (SLN)

ORIG 08325 (FAA)

NOTE: Rwy 4, light on hangar 1560' from departure end of runway, 196' right of centerline, 52' AGL/1302' MSL. Rwy 12, rod on obstruction light GS 1608' from departure end of runway, 617' left of centerline, 44' AGL/1315' MSL. Trees beginning 4018' from departure end of runway, 421' left of centerline, up to 100' AGL/1379' MSL. Trees beginning 5330' from departure end of runway, 1917' right of centerline, up to 100' AGL/1419' MSL. Rwy 17, road with vehicles 1458' from departure end of runway, from left to right of centerline, up to 15' AGL/1314' MSL. Pole 1505' from departure end of runway, 782' right of centerline, 12' AGL/1312 MSL. Rwy 18, rising terrain beginning 537 from departure end of runway, 338' right of centerline, up to 1309' MSL. Road with vehicles beginning 891' from departure end of runway, 586' left of centerline, up to 15' AGL/1314' MSL. Road with vehicles beginning 1095' from departure end of runway, 762' right of centerline, up to 15' AGL/1324' MSL. Trees beginning 2065' from departure end of runway, from left to right of centerline, up to 100' AGL/1409' MSL. Rwy 22, trees beginning 4195' from departure end of runway, 65' right of centerline, up to 100' AGL/1399' MSL. Rwy 30, trees beginning 1227' from departure end of runway, 785' left of centerline, up to 100' AGL/1349' MSL. Trees beginning 2400' from departure end of runway, from left to right of centerline, up to 100' AGL/1359' MSL. Rwy 36, trees beginning 367' from departure end of runway, 305' left of centerline, up to 100' AGL/1349' MSL. Trees beginning 1663' from departure end of runway, from left to right of centerline, up to 100' AGL/1349'MSL.

SCOTTSBLUFF, NE

WESTERN NEBRASKA RGNL WILLIAM B. HEILIG FIELD (BFF) AMDT 4 93175 (FAA)

DEPARTURE PROCEDURE: Rwy 23, climbing right turn to 5500 via heading 300° before proceeding on course. Rwy 30, climb runway heading to 5500 before proceeding on course.

SEWARD, NE

SEWARD MUNI (SWT) ORIG 96228 (FAA)

TAKE-OFF MINIMUMS: Rwv 22. NA.

DEPARTURE PROCEDURE: Rwy 4, climb to 2800 before turning on course. Rwy 16, climb runway heading to 3500 before turning right. Rwy 34, climb runway heading to 3000 before turning left.

SIDNEY. NE

SIDNEY MUNI/LLOYD W. CARR FIELD (SNY) AMDT 1 08213 (FAA)

TAKE-OFF MINIMUMS: Rwys 3,21 NA-Environmental.

SUPERIOR.NE

SUPERIOR MUNI (12K) ORIG 91318 (FAA)

DEPARTURE PROCEDURE: Rwys 14, 18, 32, 36, climb runway heading to 2500 before turning.

SYRACUSE, KS

SYRACUSE-HAMILTON COUNTY MUNI (3K3)

ORIG 10266 (FAA)

DEPARTURE PROCEDURE: Rwy 31, climb heading 293° to 4000 before turning right.

NOTE: Rwy 13, vehicle on road beginning 5' from DER, left and right of centerline, up to 15' AGL/3324' MSL. Trees beginning 104' from DER, 288' left of centerline, up to 40' AGL/3349' MSL. Trees beginning 196' from DER, 130' right of centerline, up to 40' AGL/ 3349' MSL. Rwy 18, grain bin 465' from DER, 506' right of centerline, 21' AGL/3331' MSL. Water tower 1898' from DER, 393' left of centerline, 99' AGL/3399' MSL. Rwy 31, vehicle on road beginning 26' from DER, 328' left of centerline, up to 15' AGL/3324' MSL. Rwy 36, powerlines beginning 1596' from DER, left and right of centerline, up to 52' AGL/3367' MSL.

TEKAMAH, NE

TEKAMAH MUNI (TQE)

AMDT 2 07298 (FAA)

DEPARTURE PROCEDURE: Rwy 32, climb via heading 327° to 1500 before turning left.

NOTE: Rwy 14, north-south road and vehicle 483' left of centerline at departure end of runway, 15' AGL/1044' MSL. Rwy 32, trees 954' from departure end of runway, 426' left of centerline, up to 100' AGL/1129'

THEDFORD.NE

THOMAS COUNTY (TIF)

AMDT 1 08269 (FAA)

NOTE: Rwy 11, trees and rising terrain beginning 36' from departure end of runway, 458' right of centerline, up to 75' AGL/3054' MSL. Vehicles on road beginning 749' from departure end of runway, 351' left of centerline, up to 17' AGL/2936' MSL. Rwy 29, trees and rising terrain beginning 15' from departure end of runway, 223' left of centerline, up to 75' AGL/3034' MSL.

TOPEKA, KS

FORBES FIELD (FOE)

ORIG 09183 (FAA)

NOTE: Rwy 3, trees beginning 1424' from DER, 217' left of centerline, up to 59' AGL/1099' MSL, Tree 1523' from DER, 370' right of centerline, 49' AGL/1088' MSI

Rwv 31, rising terrain 38' from DER, 441' right of centerline, 1064' MSL.

10322

16 DEC 2010 to 13 JAN 2011

10322

TOPEKA, KS (CON'T)

PHILIP BILLARD MUNI (TOP)

AMDT 1 09015 (FAA)

TAKE-OFF MINIMUMS: **Rwy 22**, 200-1¼ or std. w/min. climb of 286' per NM to 1200.

DEPARTURE PROCEDURE: **Rwy 22**, climb heading 224° to 1900 before turning right. **Rwy31**, climb heading 309° to 1800 before turning left.

NOTE: Rwy 4, antenna 1049' from departure end of runway, 528' left of centerline, 57' AGL/927' MSL. Pole 996' from departure end of runway, 382' left of centerline, 38' AGL/908' MSL. Rwy 13, tree 378' from departure end of runway, 413' right of centerline, 100' AGL/912' MSL. Vehicle on road 80' from departure end of runway, 371' left of centerline, 15' AGL/889' MSL. Rwy 18, trees beginning 1062' from departure end of runway, 329' left of centerline, up to 100' AGL/1007' MSL. Trees beginning 696' from departure end of runway, 201' right of centerline, up to 100' AGL/993' MSL. Pole 2276' from departure end of runway, 491' right of centerline, 64' departure end of runway, 386' left of centerline, up to 150' AGL/1031'MSL. Trees beginning 1495'from departure end of runway, on centerline, up to 100' AGL/ 946' MSL. Trees beginning 1722' from departure end of runway, 248' right of centerline, up to 100' AGL/945' MSL. Elevator 3783' from departure end of runway, 947' left of centerline, 131'AGL/1001'MSL. Rwy 31, trees beginning 1019' from departure end of runway, 693' left of centerline, up to 100' AGL/977' MSL. Rwy 36, trees beginning 3026' from departure end of runway, 265' left of centerline, up to 100' AGL/975' MSL. Rising terrain with trees beginning 1.1 NM from departure end of runway, on centerline, up to 100' AGL/1129' MSL.

ULYSSES, KS

16 DEC 2010 to 13 JAN 2011

ULYSSES (ULS)

AMDT 2A 10014 (FAA)

TAKE-OFF MINIMUMS: Rwy 12, 500-3 or std. with a min. climb of 225' per NM to 3700. Rwy 17, 300-1% or std. w/min. climb of 281' per NM to 3500.

DEPARTURE PROCEDURE: **Rwy 17**, climb to 3700 before turning on course.

NOTE: Rwy 17, tower 1.38 NM from DER, 124' right of centerline, 249' AGL/3305' MSL.

VALENTINE, NE

MILLER FIELD (VTN)

AMDT 2 05132 (FAA)

DEPARTURE PROCEDURE: Rwy 3, climb heading 028° to 4000 before proceeding on course. Rwy 32, climb heading 317° to 4000 before proceeding on course. NOTE: Rwy 14, multiple fences beginning 398' from

departure end of runway, 495' right of centerline, up to 5'
AGL/2593' MSL.

WAHOO, NE

WAHOO MUNI (AHQ)

ORIG 08213 (FAA)

TAKE-OFF MINIMUMS: Rwys 13,31, NA-Environmental

NOTE: Rwy 2, terrain beginning 1' from departure end of runway, 360' left of centerline, up to 1229' MSL. Terrain beginning 1' from departure end of runway, 360' right of centerline, up to 1224' MSL. Pole 725' from departure end of runway, 539' left of centerline, 29' AGL/1258' MSL. Vehicles on road beginning 740' from departure end of runway, from left to right of centerline, up to 15' AGL/1244' MSL. Rwy 20, fence, buildings, trees, power poles, and street lights beginning 244' from departure end of runway, 401' right of centerline, up to 52' AGL/1277' MSL. Vehicles on road, power poles, and wires beginning 500' from departure end of runway, 477' left of centerline, up to 29' AGL/1246' MSL. Trees beginning 2510' from departure end of runway, 631' left of centerline, up to 74' AGL/1291' MSL. Elevator 3446' from departure end of runway, 474' left of centerline, 114' AGL/1329' MSL.

WAYNE, NE

WAYNE MUNI (LCG)

AMDT 3 04330 (FAA)

NOTE: **Rwy 35**, pole 388' from departure end of runway, 540' left of centerline, 19' AGL/1453' MSL. Pole 422' from departure end of runway, 436' right of centerline, 35' AGL/1453' MSL.

WELLINGTON, KS

WELLINGTON MUNI (EGT)

ORIG 07298 (FAA)

NOTE: **Rwy 17**, terrain 104' from departure end of runway, 488' right of centerline, 0' AGL/1275' MSL.

WICHITA, KS

BEECH FACTORY (BEC)

ORIG 98169 (FAA)

TAKE-OFF MINIMUMS: **Rwy 36**, 500-1 or std. with a min. climb of 240' per NM to 2000.

DEPARTURE PROCEDURE: **Rwy 36**, climb runway heading to 2000 before proceeding on course.

NOTE: Rwy 36, 1810' tower N37°42'47" W97°14'52".

COLONEL JAMES JABARA (AAO) AMDT 2 83328 (FAA)

DEPARTURE PROCEDURE: **Rwy 18**, south and west departures (180° CW 270°) climb to 2000 via runway heading before proceeding on course.

WICHITA MID-CONTINENT (ICT) ORIG 08101 (FAA)

NOTE: **Rwy 1L**, tree and poles beginning 1219' from departure end of runway, 679' left of centerline, up to 34' AGL/1366' MSL.

YORK, NE

YORK MUNI (JYR)

AMDT 1 09239 (FAA)

TAKE-OFF MINIMUMS: Rwys 5, 23, NA-Environmental.

NOTE: Rwy 35, Catenary beginning 1290 'from DER, 467' right of centerline, up to 79' AGL/1719' MSL. Pole 1396' from DER, 220' left of centerline, 55' AGL/1700' MSL.

10322



 $\overline{f V}$ TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURES PROCEDURES